

WOOD STOVES  
**TRADITIONAL**

CATALYTIC-FREE | EPA 2020 CERTIFIED

**PACIFIC  
ENERGY**



# TRADITIONAL SERIES

FREESTANDING WOOD STOVES



Keep small to large spaces warm and comfortable with the highly efficient and durable Vista, Super, and Summit woodstoves. Designed for exceptional heat output and long burn times, the Vista is an excellent choice for heating spaces from 500 to 1500 square feet, the Super - our most popular stove - for heating spaces up to 2000 square feet, and the Summit for larger spaces and long, cold winter nights.

SUPER LE - METALLIC BLACK DOOR WITH OPTIONAL ASH PAN

up to  
1500  
sq ft



VISTA LE

up to  
2000  
sq ft



SUPER LE

up to  
3000  
sq ft



SUMMIT LE





**BUILD YOUR STOVE**  
[pacificenergy.net/build-your-stove](http://pacificenergy.net/build-your-stove)

SUMMIT LE – NICKEL DOOR AND LEGS  
WITH OPTIONAL ASH PAN



VISTA LE – BRUSHED NICKEL DOOR



SUPER LE – METALLIC BLACK DOOR



# CLASSIC SERIES

FREESTANDING WOOD STOVES  
WITH PORCELAIN ENAMEL



Enjoy the impressive performance and outstanding features of the Vista, Super, Summit fireboxes beautifully clad in rich, lustrous porcelain enamel. The Classic Collection delivers Pacific Energy's breakthrough catalytic-free heating performance, easy operation, and choices of elegant porcelain enamel cladding, door, leg and trivet finishes.

SUMMIT CLASSIC LE – SUNSET RED

up to  
1500  
sq ft



VISTA CLASSIC LE – IVORY

up to  
2000  
sq ft



SUPER CLASSIC LE – EBONY

up to  
3000  
sq ft



SUMMIT CLASSIC LE – SUNSET RED






**BUILD YOUR STOVE**  
[pacificenergy.net/build-your-stove](https://pacificenergy.net/build-your-stove)




SUMMIT CLASSIC LE – IVORY

#### PORCELAIN ENAMEL OPTIONS

Classic stoves are available in three porcelain enamel colors.



#### DECORATIVE TRIVET OPTIONS



**EPA 2020  
CERTIFIED**



All Pacific Energy Wood Stoves come standard with these industry leading features:

- EPA 2020 Certified
- Reliable, durable, catalytic-free technology
- High capacity baffle system
- Multi-port combustion air injection system
- Air wash system for super clean ceramic glass
- Inside and outside combustion air capable
- Floating firebox for extended stove life
- Single-Lever Air Control
- Mobile Home Approved



## **VISTA LE VISTA CLASSIC LE**

For spaces up to 1500 sq. ft.

Heat Output Cord Wood

**56,000 BTU**

23,200 BTU EPA Test Fuel

Efficiency (HHV)	72%
Emissions	1.9 gm/hr.
Log Size (recommended)	16"
Log Size (max)	17"
Firebox Size	1.6 cu.ft.
Viewing Area	152 sq.in.



## **SUPER LE SUPER CLASSIC LE**

For spaces up to 2000 sq. ft.

Heat Output Cord Wood

**72,000 BTU**

38,200 BTU EPA Test Fuel

Efficiency (HHV)	71.3%
Emissions	1.8 gm/hr.
Log Size (recommended)	16"
Log Size (max)	18"
Firebox Size	2.1 cu.ft.
Viewing Area	122 sq.in.



## **SUMMIT LE SUMMIT CLASSIC LE**

For spaces up to 3000 sq. ft.

Heat Output Cord Wood

**99,000 BTU**

41,275 BTU EPA Test Fuel

Efficiency (HHV)	74%
Emissions	1.8 gm/hr.
Log Size (recommended)	18"
Log Size (max)	20"
Firebox Size	3.0 cu.ft.
Viewing Area	153 sq.in.

### **VISTA LE**

#### **STANDARD FEATURES**

304 Stainless Steel Baffle, Rails, Tubes and Flame Shield  
East-West loading

#### **DESIGN OPTIONS**

Rich metallic black finish  
Pedestal base  
Legs: choice of three finishes  
Arched door: choice of three finishes

#### **VISTA CLASSIC LE**

Porcelain enamel: choice of three colors  
Legs: choice of three finishes  
Arched door: choice of three finishes  
Decorative trivet: choice of two finishes

#### **PERFORMANCE OPTIONS**

Temperature-Actuated Variable-Speed Blower  
Easy-to-use ash disposal system (optional on Vista; included with Vista Classic)

### **SUPER LE**

#### **STANDARD FEATURES**

Extended Burn Technology (EBT)  
304 Stainless Steel Baffle, Rails and Flame Shield  
North-South loading

#### **DESIGN OPTIONS**

Rich metallic black finish  
Pedestal base  
Legs: choice of three finishes  
Arched door: choice of three finishes

#### **SUPER CLASSIC LE**

Porcelain enamel: choice of three colors  
Legs: choice of three finishes  
Arched door: choice of three finishes  
Decorative trivet: choice of two finishes

#### **PERFORMANCE OPTIONS**

Temperature-Actuated Variable-Speed Blower  
Easy-to-use ash disposal system (optional on Super; included with Super Classic)

### **SUMMIT LE**

#### **STANDARD FEATURES**

Extended Burn Technology (EBT)  
304 Stainless Steel Baffle, Rails and Flame Shield  
North-South loading

#### **DESIGN OPTIONS**

Rich metallic black finish  
Pedestal base  
Legs: choice of three finishes  
Arched door: choice of three finishes

#### **SUMMIT CLASSIC LE**

Porcelain enamel: choice of three colors  
Legs: choice of three finishes  
Arched door: choice of three finishes  
Decorative trivet: choice of two finishes

#### **PERFORMANCE OPTIONS**

Temperature-Actuated Variable-Speed Blower  
Easy-to-use ash disposal system (optional on Summit; included with Summit Classic)





## BAFFLE SYSTEM

Pacific Energy leads the industry in premium catalytic-free clean burn technology. Our unique high capacity baffle system preheats secondary combustion air for an extremely effective reburn. By burning the combustible elements in the air, we improve our stove's environmental performance while significantly reducing the amount of wood consumed.



## DESIGN-A-FIRE

A SYSTEM BY PACIFIC ENERGY



Pacific Energy Wood Stoves are customizable in your choice of door and leg finishes. Available in Nickel, Metallic Black and Brushed Nickel.



## EBT2 EXTENDED BURN

EBT2 (the second generation of Extended Burn Technology) is field proven to be highly effective at controlling the secondary burn system, extending burn times and reducing overall emissions.

PERFORMANCE EFFICIENCY	BURN TIME		
	Combustion Air	Fuel Quality	Draft
			no EBT
			EBT



## FLOATING FIREBOX

All fireboxes are subjected to wild extremes of temperatures. Solidly designed with steel brick support rails, our legendary floating system allows key parts to freely expand and contract to drastically reduce metal fatigue and add years of life to the entire appliance. The high capacity stainless steel baffle (part of the clean-burning secondary combustion system) and the flame shield (which protects the stove top from intense heat) are integral components of our legendary floating firebox system.



## SELF SEALING ASH DUMP SYSTEM

Our self-sealing ash dump system, with its spring-loaded trap door provides a time saving, hassle-free ash removal solution that, frankly, has yet to be equaled. Pacific Energy's machined steel, spring loaded ash removal system is opened from outside the stove and closes automatically for safety and convenience when you're done.



## AIR WASH


Pacific Energy developed the first effective air wash manifold systems, a design that flows pre-heated air to the glass surface to keep it clean. A refined design now creates a high-pressure zone in the center and forces air to flow from above and across the glass. Even at low air settings, we are confident that our air wash system is the most effective available. And that our glass doors are among the cleanest in the industry.




**@pacificenergyfireplaceproducts**

Follow us on Facebook and Instagram for news, promotions, and inspiring installations.


FLOOR PROTECTOR DIMENSIONS




VISTA LE




VISTA CLASSIC LE




SUPER LE




SUPER CLASSIC LE



SUMMIT LE



SUMMIT CLASSIC LE



CANADA

	VISTA & VISTA CLASSIC					SUPER & SUPER CLASSIC					SUMMIT & SUMMIT CLASSIC				
	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Minimum (Not necessarily extended to back wall)	40 3/4"	45"	-	-	-	39"	50 3/4"	-	-	-	42"	51"	-	-	-
Residential, single wall, vertical connector	40 3/4"	47"	57 3/4"	55 1/4"	26 3/8"	39"	50 3/4"	61 3/4"	57 1/2"	29 7/8"	42"	52"	62 7/8"	59 1/4"	29 5/8"
Residential, double wall, vertical connector	40 3/4"	45"	55"	53 1/4"	24 3/8"	39"	47 3/4"	57 5/8"	54 1/2"	26 7/8"	42"	50 1/2"	61 1/2"	58 1/4"	28 5/8"
Alcove, double wall, connector	40 3/4"	45"	-	-	-	39"	47 3/4"	-	-	-	42"	53"	-	-	-
Mobile home	40 3/4"	45"	55"	53 1/4"	24 3/8"	39"	47 3/4"	57 5/8"	54 1/2"	26 7/8"	42"	53"	65 5/8"	61 1/4"	31 5/8"

USA

	VISTA & VISTA CLASSIC					SUPER & SUPER CLASSIC					SUMMIT & SUMMIT CLASSIC				
	A	B	C	D	E	A	B	C	D	E	A	B	C	D	E
Minimum (Not necessarily extended to back wall)	33 1/2"	35"	-	-	-	34"	40 3/4"	-	-	-	35"	41"	-	-	-
Residential, single wall, vertical connector	33 1/2"	45"	55 3/4"	51 1/4"	27 5/8"	34"	48 3/4"	59 3/4"	54 1/8"	30 1/8"	35"	50"	60 7/8"	55 3/8"	30 5/8"
Residential, double wall, vertical connector	33 1/2"	43"	53"	49 1/4"	25 5/8"	34"	45 3/4"	55 5/8"	51 1/8"	27 1/8"	35"	48 1/2"	59 1/2"	54 3/8"	29 5/8"
Alcove, double wall, connector	33 1/2"	43"	-	-	-	34"	45 3/4"	-	-	-	35"	51"	-	-	-
Mobile home	33 1/2"	43"	53"	49 1/4"	25 5/8"	34"	45 3/4"	55 5/8"	51 1/8"	27 1/8"	35"	51"	63 5/8"	57 3/8"	32 5/8"

CLEARANCES TO COMBUSTIBLES

			From top of stove to ceiling	STRAIGHT (VERTICAL CONNECTOR)				CORNER		ALCOVE			
				A	B	C	D	E	F	G	H	I	J
RESIDENTIAL SINGLE WALL CONNECTOR	VISTA & VISTA CLASSIC		56"	10"	10"	17 3/8"	22 7/8"	7"	19 7/8"	10"	10"	17 3/8"	22 7/8"
	SUPER & SUPER CLASSIC		56"	8"	14"	18"	26"	7"	21"	N/A	N/A	N/A	N/A
	SUMMIT & SUMMIT CLASSIC		54"	9"	14"	17 1/2"	27 1/2"	6"	20 3/4"	N/A	N/A	N/A	N/A
RESIDENTIAL DOUBLE WALL CONNECTOR	VISTA & VISTA CLASSIC		56"	8"	8"	15 3/8"	20 7/8"	5"	17 7/8"	8"	8"	15 3/8"	20 7/8"
	SUPER & SUPER CLASSIC		56"	5"	14"	15"	26"	4"	18"	5"	14"	15"	26"
	SUMMIT & SUMMIT CLASSIC		54"	7 1/2"	13"	16"	26 1/2"	5"	19 3/4"	10"	16"	18 1/2"	29 1/2"
MOBILE HOME DOUBLE WALL CONNECTOR	VISTA & VISTA CLASSIC		56"	8"	8"	15 3/8"	20 7/8"	5"	17 7/8"	8"	8"	15 3/8"	20 7/8"
	SUPER & SUPER CLASSIC		56"	5"	14"	15"	26"	4"	18"	5"	14"	15"	26"
	SUMMIT & SUMMIT CLASSIC		54"	10"	18"	18 1/2"	31 1/2"	8"	22 3/4"	N/A	N/A	N/A	N/A



Pacific Energy is committed to continuous product improvement and innovation. As a result, appearance and specifications of the products featured in this brochure are subject to change without notice. For more information, please visit [pacificenergy.net](http://pacificenergy.net)

